



**APPLICATION FOR PERMISSION
TO
PLACE DEVICE ON ON UTAH BOATING WATERS**



Application must be completed and submitted to local water body manager at least 30 days prior to anticipated placement. If necessary contact the Division of Utah State Parks and Recreation, Boating Program Manager, 1594 West North Temple, Suite 116, Salt Lake City, Utah, 84114, (801) 538-7361.

Water Body Information

Use page 2 to provide a detailed map/diagram of proposed placement of devices.

Name of water body _____ General location on water _____

Latitude/Longitude _____

Device Information

Indicate number of each proposed type of device

Type of device:

- Pier(s)
- Floating dock(s)
- Shoreline docks > 75 ft from shore
- Buoy(s) (non-navigational)
- Scientific/Research related devices
- Navigational aid(s)
- Fixed platform(s)
- Slalom course
- Jump/Rail
- Brine shrimp egg containment boom
- Other, explain _____

Placement, maintenance and usage:

Date to be placed _____

Date to be removed _____

Public use prohibited? Yes No

Use by - Your group _____ % Others _____ %

Device to be placed by _____


Device to be maintained by _____

If placement utilizes or will impact adjacent land in any way, permission must be obtained from the landowner or administrator and attached to this form. Permission attached No permission necessary

Applicant Information

Name of Applicant	Title	Signature of Applicant
Organization	Address	City
State	Zip	Date of Application
Telephone Number		

Map/Diagram of Device(s) Location



FOR DIVISION USE ONLY

Date Received _____	Permission Denied _____	Denied By _____	Date _____
_____	_____	_____	_____
Park Manager	Date Recommended	Region Manager	Date Recommended
_____	_____	_____	_____
Boating Program Manager	Date Recommended	Director/ Deputy Director	Date Approved

Restrictions and instructions:

For brine shrimp egg capture booms - see page 3

For permanent or anchored objects - see page 4

Additional restrictions or instructions: _____

BRINE SHRIMP EGG CAPTURE BOOM REQUIREMENTS

Anyone placing brine shrimp egg capture booms or other possible hazards to navigation on the Great Salt Lake shall comply with the following boating rule:

R651-204-2 Hazards to Navigation

No person shall place any permanent or anchored objects on the waters of this state without written authorization by a federal agency operating within federal authority or by the division.

[73-18-2(5) "Division" means the Division of Parks and Recreation.]

To comply with this requirement, the company or individuals placing the permanent or anchored objects must complete an "Application for Permission to Place Device on Boating Waters" (PR69a) form and return it to the Division for approval.

The Division will require the following:

1. All unattended objects will be visibly marked with the name of the company or individuals name. The letters shall be:
 - a. a contrasting color to the object; and
 - b. at least three inches in height with the letter width proportionate to the height.
2. Each individual set of unattended capture booms on the water shall have a marker buoy or boom marker/light attached to it.
3. No harvesting of shrimp or deploying of booms within 1/4 mile of the navigation buoys of the Great Salt Lake State Marina or Antelope Island Marina.
4. All devices and related ground tackle must be removed by the end of the permit period.

Marker Buoy Requirements

The buoy shall:

1. Be a white "standard can" type
2. Have at least a 14 inch diameter and a 52 inch high can
3. Be self-righting
4. Be lighted with an amber color flashing light (30 flashes per minute) that is visible for up to one-half mile
5. Have a three inch silver reflective band around the top with built in radar reflector
6. Be marked with the regulator "Hazard Warning Symbol" (diamond on end) in international orange, with the word "DANGER" listed within the diamond in black lettering
7. Have an international orange band encircling the buoy near the water line and at the top of the buoy

Boom Marker/Light Requirements

The marker shall:

1. Meet U.S. Coast Guard requirements for marker lights
2. Float at least 39 inches above the water
3. Be self-righting
4. Be lighted with an amber color flashing light (30 flashes per minute minimum) that is visible for up to one-half mile
5. Have a three inch silver reflective band around the top with a radar reflector

HAZARDS TO NAVIGATION AND WATERWAY MARKER REQUIREMENTS

Anyone placing possible hazards to navigation on the waters of this state shall comply with the following boating rules:

R651-204-1 Placement of Waterway Markers

No person shall place on or near the waters of this state any waterway marker, except a divers flag, without written authorization by a federal agency operating within federal authority or by the division.

R651-204-2 Hazards to Navigation

No person shall place any permanent or anchored objects on the waters of this state without written authorization by a federal agency operating within federal authority or by the division.

[73-18-2(5) "Division" means the Division of Parks and Recreation.]

To comply with this requirement, the entity or individual placing the waterway markers or permanent/anchored objects must complete an "Application for Permission to Place Device on Boating Waters" (PR69a) form and return it to the Division for approval.

The Division will require the following:

1. All unattended objects will be visibly marked with the name of the entity's or individual's name. The letters shall be:
 - a. a contrasting color to the object; and
 - b. at least three inches in height with the letter width proportionate to the height.
2. Each permitted waterway hazard shall be marked with light(s) if placed overnight.
3. Each waterway marker placed must comply with the U.S. Aids to Navigation System (ATONS)

Light Requirements

Marker lights shall:

1. Meet U.S. Coast Guard requirements for marker lights
2. Float at least 39 inches above the water
3. Be an amber color flashing light (30 flashes per minute minimum) that is visible for up to one-half mile
4. If the marker light is located on a buoy, the buoy shall be self righting and have a three inch silver radar reflective band around the top